

Commercial Architecture in Washington State

Commercial Appeal

National Historic Preservation Month

2009

Historic Preservation Month 2009

Poster designed by Megan Duvall

STATE HISTORIC PRESERVATION OFFICER'S

2009

Outstanding Achievement Awards

**CAREER
ACHIEVEMENT**

Horace Foxall

Seattle

**CAREER ACHIEVEMENT
Horace Foxall - Seattle**



**US Army Corps
of Engineers** ®
Seattle District

Center of Expertise
Preservation of Historic
Buildings and Structures

CAREER ACHIEVEMENT

Horace Foxall - Seattle

Page 10 November - December 2006 FLAGSHIP Seattle District

Local architect achieves national honor

Seattle District architect Horace Foxall recently returned from the Preserve America summit in New Orleans, where he met First Lady Laura Bush. Foxall was appointed this year to serve on the National Preservation Technology and Training Board of Directors, advancing the application of science and technology to historic preservation. Foxall heads the Army Corps' Historic Preservation Center of Expertise, managing preservation projects across the country.

In addition, Foxall was reappointed by Governor Christine Gregoire this summer to the Washington State Advisory Council on Historic Preservation. The Council reviews nominations for the state and national register of historic places and advises the governor on historic preservation matters.

One of the issues preservationists are grappling with at the national level is how to keep the Preservation Act in step with modern demands. A big issue is meeting needs for security and accessibility while preserving the historic integrity of structures.

"The four points we need to look at are security requirements, risk assessment, consistent standards across government and public access," said Foxall.

After hurricane Katrina, Horace Foxall deployed to the Joint Field Office in Baton Rouge to support FEMA's environmental and cultural resources team. He and Lauren McCrookay served as liaisons and spokespersons with the Corps to ensure that FEMA's preservation responsibilities were satisfied.

Before he went down he said, "I get feelings about things, and when I saw the destruction there, I had a feeling I would need to go." Not long after, the phone rang and he and Lauren were down south for 90 days.

They served as liaisons between the Corps and FEMA, provided technical assistance and community outreach.

"FEMA needed technical assistance in carrying out our federal



Horace Foxall addresses a group. (Photo Courtesy Photo)



Holy Cross home roof repair solution coordinated with FEMA, the Corps and the Park Service. (Horace Foxall Photo)



Hurricane Katrina Recovery Effort



AmeriCorps Crew from Washington State in the community Holy Cross

responsibilities under Section 106 of the National Historic Preservation Act. I knew of Horace, and he came highly recommended by the Advisory Council on Historic Preservation," said John Ketchum, FEMA Federal Preservation Officer.

Ketchum said Horace proved especially effective as a liaison between the local community members and the agencies, learning about concerns for preservation that may have otherwise gone unheard. His role was also instrumental in effecting a multi-agency and local government Programmatic Agreement for addressing Section 106 responsibilities, according to Ketchum.

"Horace worked with the Park Service to engineer a partnership to provide assistance for roofing repairs in the Lower 9th Ward's Holy Cross historic district," said Ketchum.

"There were a lot of challenges - there still are. However, recovery operations after Katrina and Rita brought together some of the best and brightest, and we were blessed to have technical experts like Horace and Lauren working with us."

In addition to his current assignments, Foxall has served on the City of Seattle's Planning Commission and Landmark Preservation Board, as well as the Washington Governor's Art Heritage Preservation Task Force. — Patricia Grosser

CAREER ACHIEVEMENT

Horace Foxall - Seattle




Preserve America Summit
Horace Foxall (far right) with Laura Bush (center)

CAREER ACHIEVEMENT
Horace Foxall - Seattle



Repair to base
after Rehab



Before
Rehab

McClellan Gate Restoration
Arlington National Cemetery, VA



CAREER ACHIEVEMENT
Horace Foxall - Seattle



Restoration of the Old Amphitheater
Arlington National Cemetery, VA

CAREER ACHIEVEMENT
Horace Foxall - Seattle




Historic Structural I Class
Fort Lewis Washington

Interservice Environmental
Education Review Board Courses
Barksdale AFB, Shreveport, LA



CAREER ACHIEVEMENT
Horace Foxall - Seattle



Rehabilitation of Building 4320 Fort Lewis Museum
Fort Lewis, VA

Valerie Sivinski Award for
**OUTSTANDING
REHABILITATION**

Saint James Catholic Church

Vancouver

OUTSTANDING REHABILITATION

Saint James Catholic Church - Vancouver



Before

After

OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver




OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver



OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver



OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver



OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver



OUTSTANDING REHABILITATION
Saint James Catholic Church - Vancouver



Valerie Sivinski Award for
**OUTSTANDING
REHABILITATION**

Arctic Club Hotel

Seattle

OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



Before



After

OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



Before



OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



Before



OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



After

OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



OUTSTANDING REHABILITATION
Arctic Club Hotel - Seattle



Valerie Sivinski Award for
**OUTSTANDING
REHABILITATION**

Olson Long Ranch

Conconnully

OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully



Before



After

OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully




Before



After

OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully



OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully



OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully



After

OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully



After



OUTSTANDING REHABILITATION
Olson Long Ranch - Conconnully




After

EDUCATION AWARD

Everett Public Library & Evergreen Cemetery

Everett

EDUCATION AWARD Public Library & Evergreen Cemetery - Everett



EVERGREEN CEMETERY TOUR

1 Kane Murder Victims	7 William H. Weaver	10 Alvin J. Goldburgers, Jr.
2 Western Redoubt	8 Governor Louis K. Church	11 Lynch Gate
3 Tree of Life and Death	9 City Marshal Dennis Crowe	12 Ole Nelson
3 Benjamin F. Jernigan		
4 William & Ella McNeogall Ross		
5 Eugene S. McGill		
6 John Deffenbacher		

CEMETERY ETIQUETTE

- Take no pictures, leave only footprints.
- Do not touch monuments or artifacts. They are privately owned and/or irreplaceable.
- Do not bring alcohol, firearms or entertainment items into cemeteries.
- Show respect for the dead.
- Maintain suppression of firearms and teach them to respect the dead.
- Keep your voice down and do not yell.
- Do not litter. This includes cigarette butts.
- Do not interfere with the plans or wishes you request the cemetery.
- Keep your vehicle on designated roadways or in parking areas.
 - Please use an designated address or telephone.
 - Obey posted laws of operation.
 - Promptly report suspicious vehicles or individuals to local authorities.

ENTRANCE
4230 Broadway



EDUCATION AWARD

Public Library & Evergreen Cemetery - Everett




Tour Guide - David Dilgard



EDUCATION AWARD

Public Library & Evergreen Cemetery - Everett



EDUCATION AWARD

Public Library & Evergreen Cemetery - Everett




EVERGREEN CEMETERY TOUR

- 13 Three Japanese Immigrants
- 14 G&M Monument
- 15 Charles Raymond
- 16 Water Coat of the Dead
- 17 Emma O. Schrader
- 18 Iona Hatch
- 19 Peter & Rene Arensbach
- 20 Site of Station/Banders Blinnig "Assassins"
- 21 Jefferson Beard
- 22 Gun bombstone used by Sylvester Station
- 23 Rucker Pyramid
- 24 Margaret Queen
- 25 Alice McFarland Duryee
- 26 Dr. William Columbus Cox
- 27 Schuyler & Margaret Duryee
- 28 Charles How
- 29 Lewis George Walker
- 30 Mary Jane Green
- 31 John T. Rogers
- 32 Joseph Irving
- 33 Rachel Hatley
- 34 Emma Yule
- 35 Alice & Clara Rigby
- 36 Nellie & Jacob Hunsaker
- 37 Capt. S.K. Swachum
- 38 Officer John Fox
- 39 Joe King
- 40 Fire Chief William A. Taro & Dennis Doyle
- 41 Benjamin Turnbull
- 42 Touffie O. Pine
- 43 John J. Clark & Margaret Clark Salisbury
- 44 John T. McChesney
- 45 Governors Roland H. Hartley & David M. Clapp
- 46 William Shakespeare
- 47 William H. Borer
- 48 Fred Schick
- 49 Rev. Richard B. Howell & wife Susan
- 50 Eileen Rubatino
- 51 Governor Max Walgren
- 52 Thomson Sullivan



EDUCATION AWARD

Public Library & Evergreen Cemetery - Everett



All images courtesy of Everett Public Library

**RESOURCE
STEWARDSHIP**



Blue Mouse Theater Associates

for the
Blue Mouse Theater
Tacoma


RESOURCE STEWARDSHIP AWARD
Blue Mouse Theater Associates - Tacoma



RESOURCE STEWARDSHIP AWARD
Blue Mouse Theater Associates - Tacoma



RESOURCE STEWARDSHIP AWARD
Blue Mouse Theater Associates - Tacoma



RESOURCE STEWARDSHIP AWARD
Blue Mouse Theater Associates - Tacoma



ROCKY HORROR PICTURE SHOW

RESOURCE STEWARDSHIP AWARD
Blue Mouse Theater Associates - Tacoma



RESOURCE STEWARDSHIP AWARD

Blue Mouse Theater Associates - Tacoma



RESOURCE STEWARDSHIP

Dayton Historical Depot Society

for the
Boldman House

Dayton

RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



Boldman House




RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



Foyer before



Foyer after



RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



“Storage” Area
Before and After

RESOURCE STEWARDSHIP AWARD
Dayton Historical Depot Society - Dayton



Wallpaper
restoration



RESOURCE STEWARDSHIP AWARD

Dayton Historical Depot Society - Dayton

Wolff House Wallpapers LLC | [View Profile](#)

Wallpaper Periods

- From 1800 to 1850
- From 1850 to 1870
- From 1870 to 1890
- From 1890 to 1910
- From 1910 to 1930
- From 1930 to 1950

Wallpaper Archives

- Period Details
- Wallpaper Archives

Wallpapers From 1890 to 1910

Boldman Hall Ceiling Paper
 Color: Cream, yellow, green with metallic gold and metallic copper.
 Height: 12 1/2 inches
 Width: 18 3/4 inches
 Price: \$41 per roll

Boldman Hall 3 piece set

Boldman Hall Border
 Color: Cream, green with white, metallic gold, and metallic copper.
 Height: 9 1/4 inches
 Price: \$23 per yard

Boldman Hall Wallpaper
 Color: Cream, green with white, light blue, medium blue, pale green, green, metallic gold, and metallic copper.
 Height: 12 1/2 inches
 Width: 18 3/4



Wallpaper restoration

RESOURCE STEWARDSHIP AWARD

Dayton Historical Depot Society - Dayton




Boldman House

MEDIA AWARD

TV Tacoma

Tacoma

MEDIA AWARD
TV Tacoma - Tacoma



MEDIA AWARD
TV Tacoma - Tacoma




MEDIA AWARD
TV Tacoma - Tacoma



CityScapes "Northwest Room"
Produced By: Andrew Hillier

MEDIA AWARD
TV Tacoma - Tacoma




SPECIAL ACHIEVEMENT

Dr Randall Shalk
Dr Michael Wilson &
Stephan Kenady

for
Bison Antiquus

SPECIAL ACHIEVEMENT AWARD

Dr. Shalk, Dr. Wilson & Mr. Kenady



SPECIAL ACHIEVEMENT AWARD

Dr. Shalk, Dr. Wilson & Mr. Kenady








Table 3
Measurements of Ayer Pond Bison (AP041) and Vancouver Valley (V001) as a reference cranium from Island

Standard Measurement (after Shimm and Sauer 1987 and Mitchell 1981)	Vancouver Valley (V001)	Ayer Pond (AP041)
1. Length of base (mm)	310	310
2. Greatest extent of base (mm)	310	310
3. Greatest extent of base (mm) at occipital condyles	270	270
4. Greatest extent of base (mm) at rostrum	270	270
5. Greatest extent of base (mm) at rostrum	270	270
6. Greatest extent of base (mm) at rostrum	270	270
7. Greatest extent of base (mm) at rostrum	270	270
8. Greatest extent of base (mm) at rostrum	270	270
9. Greatest extent of base (mm) at rostrum	270	270
10. Greatest extent of base (mm) at rostrum	270	270
11. Greatest extent of base (mm) at rostrum	270	270
12. Greatest extent of base (mm) at rostrum	270	270
13. Greatest extent of base (mm) at rostrum	270	270
14. Greatest extent of base (mm) at rostrum	270	270
15. Greatest extent of base (mm) at rostrum	270	270
16. Greatest extent of base (mm) at rostrum	270	270
17. Greatest extent of base (mm) at rostrum	270	270
18. Greatest extent of base (mm) at rostrum	270	270
19. Greatest extent of base (mm) at rostrum	270	270
20. Greatest extent of base (mm) at rostrum	270	270
21. Greatest extent of base (mm) at rostrum	270	270
22. Greatest extent of base (mm) at rostrum	270	270
23. Greatest extent of base (mm) at rostrum	270	270
24. Greatest extent of base (mm) at rostrum	270	270
25. Greatest extent of base (mm) at rostrum	270	270
26. Greatest extent of base (mm) at rostrum	270	270
27. Greatest extent of base (mm) at rostrum	270	270
28. Greatest extent of base (mm) at rostrum	270	270
29. Greatest extent of base (mm) at rostrum	270	270
30. Greatest extent of base (mm) at rostrum	270	270
31. Greatest extent of base (mm) at rostrum	270	270
32. Greatest extent of base (mm) at rostrum	270	270
33. Greatest extent of base (mm) at rostrum	270	270
34. Greatest extent of base (mm) at rostrum	270	270
35. Greatest extent of base (mm) at rostrum	270	270
36. Greatest extent of base (mm) at rostrum	270	270
37. Greatest extent of base (mm) at rostrum	270	270
38. Greatest extent of base (mm) at rostrum	270	270
39. Greatest extent of base (mm) at rostrum	270	270
40. Greatest extent of base (mm) at rostrum	270	270
41. Greatest extent of base (mm) at rostrum	270	270
42. Greatest extent of base (mm) at rostrum	270	270
43. Greatest extent of base (mm) at rostrum	270	270
44. Greatest extent of base (mm) at rostrum	270	270
45. Greatest extent of base (mm) at rostrum	270	270
46. Greatest extent of base (mm) at rostrum	270	270
47. Greatest extent of base (mm) at rostrum	270	270
48. Greatest extent of base (mm) at rostrum	270	270
49. Greatest extent of base (mm) at rostrum	270	270
50. Greatest extent of base (mm) at rostrum	270	270
51. Greatest extent of base (mm) at rostrum	270	270
52. Greatest extent of base (mm) at rostrum	270	270
53. Greatest extent of base (mm) at rostrum	270	270
54. Greatest extent of base (mm) at rostrum	270	270
55. Greatest extent of base (mm) at rostrum	270	270
56. Greatest extent of base (mm) at rostrum	270	270
57. Greatest extent of base (mm) at rostrum	270	270
58. Greatest extent of base (mm) at rostrum	270	270
59. Greatest extent of base (mm) at rostrum	270	270
60. Greatest extent of base (mm) at rostrum	270	270
61. Greatest extent of base (mm) at rostrum	270	270
62. Greatest extent of base (mm) at rostrum	270	270
63. Greatest extent of base (mm) at rostrum	270	270
64. Greatest extent of base (mm) at rostrum	270	270
65. Greatest extent of base (mm) at rostrum	270	270
66. Greatest extent of base (mm) at rostrum	270	270
67. Greatest extent of base (mm) at rostrum	270	270
68. Greatest extent of base (mm) at rostrum	270	270
69. Greatest extent of base (mm) at rostrum	270	270
70. Greatest extent of base (mm) at rostrum	270	270
71. Greatest extent of base (mm) at rostrum	270	270
72. Greatest extent of base (mm) at rostrum	270	270
73. Greatest extent of base (mm) at rostrum	270	270
74. Greatest extent of base (mm) at rostrum	270	270
75. Greatest extent of base (mm) at rostrum	270	270
76. Greatest extent of base (mm) at rostrum	270	270
77. Greatest extent of base (mm) at rostrum	270	270
78. Greatest extent of base (mm) at rostrum	270	270
79. Greatest extent of base (mm) at rostrum	270	270
80. Greatest extent of base (mm) at rostrum	270	270
81. Greatest extent of base (mm) at rostrum	270	270
82. Greatest extent of base (mm) at rostrum	270	270
83. Greatest extent of base (mm) at rostrum	270	270
84. Greatest extent of base (mm) at rostrum	270	270
85. Greatest extent of base (mm) at rostrum	270	270
86. Greatest extent of base (mm) at rostrum	270	270
87. Greatest extent of base (mm) at rostrum	270	270
88. Greatest extent of base (mm) at rostrum	270	270
89. Greatest extent of base (mm) at rostrum	270	270
90. Greatest extent of base (mm) at rostrum	270	270
91. Greatest extent of base (mm) at rostrum	270	270
92. Greatest extent of base (mm) at rostrum	270	270
93. Greatest extent of base (mm) at rostrum	270	270
94. Greatest extent of base (mm) at rostrum	270	270
95. Greatest extent of base (mm) at rostrum	270	270
96. Greatest extent of base (mm) at rostrum	270	270
97. Greatest extent of base (mm) at rostrum	270	270
98. Greatest extent of base (mm) at rostrum	270	270
99. Greatest extent of base (mm) at rostrum	270	270
100. Greatest extent of base (mm) at rostrum	270	270

Values in parentheses are estimated.


SPECIAL ACHIEVEMENT AWARD

Dr. Shalk, Dr. Wilson & Mr. Kenady



SPECIAL ACHIEVEMENT AWARD

Dr. Shalk, Dr. Wilson & Mr. Kenady



- Modifications found in red areas only-green bone fractures, points of impact, cut marks etc.
- Bones shaded in grey have no modifications of any kind.




Figure 5. Temporal distribution of Late Pleistocene radiocarbon dates on marine shells from San Juan Islands, after Lachner et al. (1981; grey bars) and Collins et al. (2010; dark bars). Distribution is in 200-yr intervals, with the numbers indicating the lower end of each interval. Lighter date sets without adjustment. Lighter date sets with Lachner et al. dates provisionally adjusted for possible diagenetic effect (see text).

STATE HISTORIC PRESERVATION OFFICER'S

2009

Outstanding Achievement Awards

Commercial Architecture in Washington State

Commercial Appeal

National Historic Preservation Month

2009

Historic Preservation Month 2009

Poster designed by
Megan Duvall

DEPARTMENT OF ARCHAEOLOGY & HISTORIC PRESERVATION